

TCB**GRANT OF EQUIPMENT
AUTHORIZATION****TCB****Certification****Issued Under the Authority of the
Federal Communications Commission****By:****ACB, Inc.
6731 Whittier Avenue Suite C110
McLean, VA 22101****Date of Grant: 05/28/2013****Application Dated: 05/24/2013**Compex Systems Pte Ltd
135, Joo Seng Road, #08-01 PM Industrial Building
Singapore, 368363
Singapore

Attention: Yaw Thiam Teng , R&D Software Manager

NOT TRANSFERABLEEQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE,
and is VALID ONLY for the equipment identified hereon for use under the
Commission's Rules and Regulations listed below.**FCC IDENTIFIER:** TK4WLE350NX
Name of Grantee: Compex Systems Pte Ltd
Equipment Class: Unlicensed National Information
Infrastructure TX
Notes: WLE350NX
Modular Type: Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC MO	15E	5180.0 - 5240.0	0.03954		
CC MO ND	15E	5260.0 - 5320.0	0.18535		
CC MO ND	15E	5500.0 - 5580.0	0.18408		
CC MO ND	15E	5680.0 - 5700.0	0.18323		

Power output listed is conducted. Modular Approval. Device is a client only device containing a 3x3 Spatial Multiplexing MIMO configuration, enabled for either 2.4 or 5 GHz band of operations as described in this filing. This device is granted for use in Mobile only configurations in which the antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and not be co-located with any other transmitters except in accordance with FCC multi-transmitter product procedures. Only those antennas tested with the device or similar antennas with equal or lesser gain may be used with this transmitter. This transmitter is restricted to indoor use only within the 5.15-5.25GHz band. End-users and installers must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance. The Grantee is responsible for providing the documentation required for modular use. The responsibility for the use of this module, in all configurations utilized or contemplated, remains with the Grantee.

This devcie has a 20 MHz and 40 MHz bandwidth mode.

CC: This device is certified pursuant to two different Part 15 rules sections.

MO: This Multiple Input Multiple Output (MIMO) device was evaluated for multiple transmitted signals as indicated in the filing.

ND: This UNII device complies with the Transmit Power Control (TPC) and Dynamic Frequency Selection (DFS) requirements in Section 15.407(h).

